



# भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)  
PART II—Section 3—Sub-section (ii)

प्राधिकार से प्रकाशित  
PUBLISHED BY AUTHORITY

सं. 312]

नई दिल्ली, सोमवार, मार्च 29, 2004/चैत्र 9, 1926

No. 312 ]

NEW DELHI, MONDAY, MARCH 29, 2004/CHAITRA 9, 1926

पेट्रोलियम और प्राकृतिक गैस मंत्रालय

अधिसूचना

नई दिल्ली, 29 मार्च, 2004

का. आ. 413(अ).— केन्द्रीय सरकार को लोकहित में यह आवश्यक प्रतीत होता है कि आन्ध्र प्रदेश राज्य में तेल एवं प्राकृतिक गैस आयोग वॉल न. 1ए से तेल एवं प्राकृतिक गैस आयोग वॉल न. 5 पाइपलाइन परियोजना तक प्राकृतिक गैस के परिवहन के लिए गेल (इण्डिया) लिमिटेड द्वारा एक पाइपलाइन बिछाई जानी चाहिए;

और केन्द्रीय सरकार को उक्त पाइपलाइन बिछाने के प्रयोजन के लिए यह आवश्यक प्रतीत होता है कि उस भूमि में, जिस में उक्त पाइपलाइन बिछाए जाने का प्रस्ताव है और जो इस अधिसूचना से संलग्न अनुसूची में वर्णित है, उपयोग के अधिकार का अर्जन किया जाए;

अतः, अब, केन्द्रीय सरकार, पेट्रोलियम और खनिज पाइपलाइन (भूमि में उपयोग के अधिकार का अर्जन) अधिनियम, 1962 (1962 का 50) की धारा 3 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, उस भूमि में उपयोग के अधिकार का अर्जन करने के अपने आशय की घोषणा करती है;

कोई व्यक्ति, जो उक्त अनुसूची में वर्णित भूमि में हितबद्ध है, उस तारीख से जिसको उक्त अधिनियम की धारा 3 की उपधारा (1) के अधीन जारी भारत के राजपत्र में यथा प्रकाशित अधिसूचना की

प्रतियां साधारण जनता को उपलब्ध करा दी जाती है, इक्कीस दिन के भीतर, भूमि के नीचे पाइपलाइन बिछाए जाने के संबंध में, श्री के. लक्ष्मीनारायण, सक्षम प्राधिकारी, गेल (इण्डिया) लिमिटेड, के.जी. बेसिन परियोजना, जेट्टी एवेन्यू, दानावैपेटा, राजामुन्द्री - 533 103, आन्ध्र प्रदेश को लिखित रूप में आक्षेप भेज सकेगा।

## अनुसूची

| जिला           | मंडल   | गाँव       | सर्वे नं./सब-<br>डिविजन नं. | क्षेत्रफल<br>(हेक्टेयर में) |
|----------------|--------|------------|-----------------------------|-----------------------------|
| पूर्वी गोदावरी | कोलपेट | (1) कोलपेट | भाग                         |                             |
|                |        |            | 144                         | 0.0100                      |
|                |        |            | 160                         | 0.0300                      |
|                |        |            | 162/2                       | 0.0900                      |
|                |        |            | 162/7                       | 0.0850                      |
|                |        |            | 162/10                      | 0.0850                      |
|                |        |            | 162/13                      | 0.0050                      |
|                |        |            | 164/4, 5                    | 0.1700                      |
|                |        |            | 164/16                      | 0.0450                      |
|                |        |            | 164/17                      | 0.0550                      |
|                |        |            | 166/12, 13                  | 0.1800                      |
|                |        |            | 167/6                       | 0.0300                      |
|                |        |            | 167/7                       | 0.0300                      |
|                |        |            | 167/8                       | 0.0700                      |
|                |        |            | 168/1                       | 0.0100                      |
|                |        |            | 168/2                       | 0.0250                      |
|                |        |            | 168/3                       | 0.0300                      |
|                |        |            | 187/10                      | 0.0900                      |
|                |        |            | 187/11                      | 0.0850                      |
|                |        |            | 188/3                       | 0.0300                      |
|                |        |            | 188/4                       | 0.0350                      |
|                |        |            | 188/5                       | 0.0250                      |
|                |        |            | 188/7                       | 0.0400                      |
|                |        |            | 188/8                       | 0.0350                      |
|                |        |            | 188/11                      | 0.0300                      |
|                |        |            | 188/12, 14                  | 0.0700                      |
|                |        |            | 189/12                      | 0.0450                      |
|                |        |            | 189/11                      | 0.0350                      |
|                |        |            | 189/10                      | 0.0400                      |
|                |        |            | 189/9                       | 0.0700                      |
|                |        |            | 189/8                       | 0.0150                      |
|                |        |            | 190/9                       | 0.0600                      |
|                |        |            | 190/8                       | 0.0750                      |
|                |        |            | 190/6                       | 0.0750                      |
|                |        |            | 191/5                       | 0.1700                      |
|                |        |            | 192/9                       | 0.0900                      |
|                |        |            | 192/8                       | 0.0050                      |
|                |        |            | 192/7                       | 0.0650                      |
|                |        |            | 192/5                       | 0.0450                      |
|                |        |            | 193                         | 0.0300                      |

| जिला           | मंडल   | गाँव         | सर्वे नं./सब-<br>डिविजन नं. | क्षेत्रफल<br>(हेक्टेयर में) |
|----------------|--------|--------------|-----------------------------|-----------------------------|
| पूर्वी गोदावरी | कोलपेट | (1) कोलपेट   | भाग                         |                             |
|                |        |              | 242                         | 0.0900                      |
|                |        |              | 243                         | 0.0200                      |
|                |        |              | 244                         | 0.2400                      |
|                |        |              | 246                         | 0.1600                      |
|                |        |              | 247                         | 0.1800                      |
|                |        |              | 248                         | 0.1800                      |
|                |        |              | कुल                         | 3.0800                      |
| पूर्वी गोदावरी | कोलपेट | (2) पल्लिवेल | भाग                         |                             |
|                |        |              | 355                         | 0.0350                      |
|                |        |              | 353                         | 0.0450                      |
|                |        |              | 349/2                       | 0.2700                      |
|                |        |              | 347                         | 0.4050                      |
|                |        |              | 345/1                       | 0.0700                      |
|                |        |              | 345/2                       | 0.1500                      |
|                |        |              | 345/6                       | 0.2100                      |
|                |        |              | 376                         | 0.0900                      |
|                |        |              | 380                         | 0.0700                      |
|                |        |              | 379                         | 0.0700                      |
|                |        |              | 381/1                       | 0.0350                      |
|                |        |              | 382                         | 0.0350                      |
|                |        |              | 396                         | 0.1650                      |
|                |        |              | 394                         | 0.2100                      |
|                |        |              | 401/1                       | 0.0950                      |
|                |        |              | 401/2                       | 0.1700                      |
|                |        |              | 399/1                       | 0.0200                      |
|                |        |              | 399/2                       | 0.0750                      |
|                |        |              | 400/2                       | 0.2500                      |
|                |        |              | 618                         | 0.0250                      |
|                |        |              | 616/2, 1                    | 0.1900                      |
|                |        |              | 616/4, 3                    | 0.1200                      |
|                |        |              | 616/5                       | 0.1100                      |
|                |        |              | 422                         | 0.1250                      |
|                |        |              | 426/1, 2                    | 0.2000                      |
|                |        |              | 425/3, 1                    | 0.1300                      |
|                |        |              | 425/4                       | 0.0500                      |
|                |        |              | 424/2                       | 0.0550                      |
|                |        |              | 424/3                       | 0.0300                      |
|                |        |              | 424/5                       | 0.0800                      |
|                |        |              | 424/6                       | 0.0350                      |
|                |        |              | 424/11                      | 0.1200                      |
|                |        |              | 600/2                       | 0.0500                      |
|                |        |              | 600/3                       | 0.0450                      |
|                |        |              | 600/4                       | 0.0950                      |
|                |        |              | 600/5                       | 0.0200                      |
|                |        |              | 600/6                       | 0.0300                      |
|                |        |              | 600/13                      | 0.0650                      |
|                |        |              | 600/15                      | 0.0650                      |

| जिला | तहसील | गाँव | सर्वे नं. | आर.ओ.यू. अर्जित करने<br>के लिए क्षेत्रफल (हेक्टेयर में) |
|------|-------|------|-----------|---|
|------|-------|------|-----------|---|

पूर्वी गोदावरी

रायुलपालेम

देवरपल्लि

भाग

|  |  |  |            |   |        |
|--|--|--|------------|---|--------|
|  |  |  | 601/5      | ॥ | 0.0400 |
|  |  |  | 601/6      | ॥ | 0.0400 |
|  |  |  | 601/4      | ॥ | 0.0450 |
|  |  |  | 601/7      | ॥ | 0.0450 |
|  |  |  | 601/11     | ॥ | 0.0850 |
|  |  |  | 605/2      | ॥ | 0.1050 |
|  |  |  | 605/3      | ॥ | 0.1600 |
|  |  |  | 605/4      | ॥ | 0.0700 |
|  |  |  | 605/6      | ॥ | 0.0300 |
|  |  |  | 605/7      | ॥ | 0.0300 |
|  |  |  | 713/4      | ॥ | 0.0650 |
|  |  |  | 713/7      | ॥ | 0.1000 |
|  |  |  | 713/11     | ॥ | 0.0300 |
|  |  |  | 713/12, 10 | ॥ | 0.0200 |
|  |  |  | 714/3      | ॥ | 0.1250 |
|  |  |  | 714/4      | ॥ | 0.0150 |
|  |  |  | 715/5      | ॥ | 0.0600 |
|  |  |  | 715/4      | ॥ | 0.0600 |
|  |  |  | 715/3      | ॥ | 0.0650 |
|  |  |  | 716        | ॥ | 0.1550 |
|  |  |  | 717        | ॥ | 0.0500 |
|  |  |  | 706/1      | ॥ | 0.0200 |
|  |  |  | 701/1      | ॥ | 0.0200 |
|  |  |  | 705        | ॥ | 0.1500 |
|  |  |  | 704        | ॥ | 0.1000 |
|  |  |  | 693        | ॥ | 0.1550 |
|  |  |  | 692/12     | ॥ | 0.0750 |
|  |  |  | 692/13     | ॥ | 0.0650 |
|  |  |  | 692/14     | ॥ | 0.0650 |
|  |  |  | 692/16, 22 | ॥ | 0.0500 |
|  |  |  | 692/15     | ॥ | 0.0300 |
|  |  |  | 692/18     | ॥ | 0.0050 |
|  |  |  | 692/20     | ॥ | 0.0050 |
|  |  |  | 691        | ॥ | 0.1250 |
|  |  |  | कुल        |   | 6.3700 |
|  |  |  | 104        | ॥ | 0.1500 |
|  |  |  | 99         | ॥ | 0.0300 |
|  |  |  | 98/4       | ॥ | 0.0300 |
|  |  |  | 85/4,2     | ॥ | 0.1900 |
|  |  |  | 85/7,3     | ॥ | 0.2000 |
|  |  |  | 84/1       | ॥ | 0.2700 |
|  |  |  | 84/6       | ॥ | 0.1300 |
|  |  |  | 84/5       | ॥ | 0.0200 |
|  |  |  | 85/4       | ॥ | 0.0400 |
|  |  |  | 84/3       | ॥ | 0.0050 |
|  |  |  | 84/13      | ॥ | 0.0200 |

| जिला           | तहसील      | गोंव      | सर्वे नं. | आर.ओ.यू. अर्जित करने के लिए क्षेत्रफल (हैक्टेयर में) |
|----------------|------------|-----------|-----------|--|
| पूर्वी गोदावरी | रायुलपालेम | देवरपल्लि | भाग       |  |
|                |            |           | 84/14 “   | 0.1300   |
|                |            |           | 82 “      | 0.0300   |
|                |            |           | 80/4 “    | 0.1400   |
|                |            |           | 81/2 “    | 0.0900   |
|                |            |           | कुल       | 1.4760   |

[फा. सं. एल-14014/56/2003-जी.पी.]

स्वामी सिंह, निदेशक

## MINISTRY OF PETROLEUM AND NATURAL GAS

## NOTIFICATION

New Delhi, the 29th March, 2004

S. O. 413(E).—Whereas it appears to the Central Government that it is necessary in the public interest that for the transportation of natural gas from Oil and Natural Gas Commission Well No. 1A to Oil and Natural Gas Commission Well No. 5 pipeline project in the State of Andhra Pradesh, a pipeline should be laid by the GAIL (India) Limited;

And whereas it appears to the Central Government that for the purpose of laying the said pipeline, it is necessary to acquire the right of user in the land under which the said pipeline is proposed to be laid and which is described in the Schedule annexed to the notification;

Now, therefore, in exercise of the powers conferred by sub-section (1) of section 3 of the Petroleum and Minerals Pipelines (Acquisition of Right of User in Land) Act, 1962 (50 of 1962), the Central Government hereby declares its intention to acquire the right of user therein.

Any person interested in the land described in the said Schedule may, within twenty-one days from the date on which the copies of the notification issued under sub-section (1) of section 3 of the said Act, as published in the Gazette of India are made available to the general public object in writing to the laying of the pipeline under the land to Shri K. Lakshminarayan, Competent Authority, GAIL (India) Limited, K.G. Basin Project, Jetty Avenue, Danavaipeta, Rajahmundry - 533 103, Andhra Pradesh..

1061 G2/04-2

## SCHEDULE

| District      | Mandal    | Village      | Survey No./Sub-Division No. | Area to be acquired for ROU (In Hectare) |
|---------------|-----------|--------------|-----------------------------|--|
| EAST GODAVARI | KOTHAPETA | 1) KOTHAPETA | 144 Part                    | 0.0100                                   |
|               |           |              | 160 Part                    | 0.0300                                   |
|               |           |              | 162/2 Part                  | 0.0900                                   |
|               |           |              | 162/7 Part                  | 0.0850                                   |
|               |           |              | 162/10 Part                 | 0.0850                                   |
|               |           |              | 162/13 Part                 | 0.0050                                   |
|               |           |              | 164/4, 5 Part               | 0.1700                                   |
|               |           |              | 164/16 Part                 | 0.0450                                   |
|               |           |              | 164/17 Part                 | 0.0550                                   |
|               |           |              | 166/12, 13 Part             | 0.1800                                   |
|               |           |              | 167/6 Part                  | 0.0300                                   |
|               |           |              | 167/7 Part                  | 0.0300                                   |
|               |           |              | 167/8 Part                  | 0.0700                                   |
|               |           |              | 168/1 Part                  | 0.0100                                   |
|               |           |              | 168/2 Part                  | 0.0250                                   |
|               |           |              | 168/3 Part                  | 0.0300                                   |
|               |           |              | 187/10 Part                 | 0.0900                                   |
|               |           |              | 187/11 Part                 | 0.0850                                   |
|               |           |              | 188/3 Part                  | 0.0300                                   |
|               |           |              | 188/4 Part                  | 0.0350                                   |
|               |           |              | 188/5 Part                  | 0.0250                                   |
|               |           |              | 188/7 Part                  | 0.0400                                   |
|               |           |              | 188/8 Part                  | 0.0350                                   |
|               |           |              | 188/11 Part                 | 0.0300                                   |
|               |           |              | 188/12, 14 Part             | 0.0700                                   |
|               |           |              | 189/12 Part                 | 0.0450                                   |
|               |           |              | 189/11 Part                 | 0.0350                                   |
|               |           |              | 189/10 Part                 | 0.0400                                   |
|               |           |              | 189/9 Part                  | 0.0700                                   |
|               |           |              | 189/8 Part                  | 0.0150                                   |
|               |           |              | 190/9 Part                  | 0.0600                                   |
|               |           |              | 190/8 Part                  | 0.0750                                   |
|               |           |              | 190/6 Part                  | 0.0750                                   |
|               |           |              | 191/5 Part                  | 0.1700                                   |
|               |           |              | 192/9 Part                  | 0.0900                                   |
|               |           |              | 192/8 Part                  | 0.0050                                   |
|               |           |              | 192/7 Part                  | 0.0650                                   |
|               |           |              | 192/5 Part                  | 0.0450                                   |
|               |           |              | 193 Part                    | 0.0300                                   |
|               |           |              | 242 Part                    | 0.0900                                   |
|               |           |              | 243 Part                    | 0.0200                                   |
|               |           |              | 244 Part                    | 0.2400                                   |
|               |           |              | 246 Part                    | 0.1600                                   |
|               |           |              | 247 Part                    | 0.1800                                   |
|               |           |              | 248 Part                    | 0.1800                                   |
|               |           |              | <b>Total :</b>              | <b>3.0800</b>                            |

| District      | Mandal    | Village     | Survey No./Sub-Division No. | Area to be acquired (In Hectare) |
|---------------|-----------|-------------|-----------------------------|----------------------------------|
| EAST GODAVARI | KOTHAPETA | 2) PALIVELA | 355 Part                    | 0.0350                           |
|               |           |             | 353 Part                    | 0.0450                           |
|               |           |             | 349/2 Part                  | 0.2700                           |
|               |           |             | 347 Part                    | 0.4050                           |
|               |           |             | 345/1 Part                  | 0.0700                           |
|               |           |             | 345/2 Part                  | 0.1500                           |
|               |           |             | 345/6 Part                  | 0.2100                           |
|               |           |             | 376 Part                    | 0.0900                           |
|               |           |             | 380 Part                    | 0.0700                           |
|               |           |             | 379 Part                    | 0.0700                           |
|               |           |             | 381/1 Part                  | 0.0350                           |
|               |           |             | 382 Part                    | 0.0350                           |
|               |           |             | 396 Part                    | 0.1650                           |
|               |           |             | 394 Part                    | 0.2100                           |
|               |           |             | 401/1 Part                  | 0.0050                           |
|               |           |             | 401/2 Part                  | 0.1700                           |
|               |           |             | 399/1 Part                  | 0.0200                           |
|               |           |             | 399/2 Part                  | 0.0750                           |
|               |           |             | 400/2 Part                  | 0.2500                           |
|               |           |             | 618 Part                    | 0.0250                           |
|               |           |             | 616/2, 1 Part               | 0.1900                           |
|               |           |             | 616/4, 3 Part               | 0.1200                           |
|               |           |             | 616/5 Part                  | 0.1100                           |
|               |           |             | 422 Part                    | 0.1250                           |
|               |           |             | 426/1, 2 Part               | 0.2000                           |
|               |           |             | 425/3, 1 Part               | 0.1300                           |
|               |           |             | 425/4 Part                  | 0.0500                           |
|               |           |             | 424/2 Part                  | 0.0550                           |
|               |           |             | 424/3 Part                  | 0.0300                           |
|               |           |             | 424/5 Part                  | 0.0800                           |
|               |           |             | 424/6 Part                  | 0.0350                           |
|               |           |             | 424/11 Part                 | 0.1200                           |
|               |           |             | 600/2 Part                  | 0.0500                           |
|               |           |             | 600/3 Part                  | 0.0450                           |
|               |           |             | 600/4 Part                  | 0.0950                           |
|               |           |             | 600/5 Part                  | 0.0200                           |
|               |           |             | 600/6 Part                  | 0.0300                           |
|               |           |             | 600/13 Part                 | 0.0650                           |
|               |           |             | 600/15 Part                 | 0.0650                           |
|               |           |             | 601/5 Part                  | 0.0400                           |
|               |           |             | 601/6 Part                  | 0.0400                           |
|               |           |             | 601/4 Part                  | 0.0450                           |
|               |           |             | 601/7 Part                  | 0.0450                           |
|               |           |             | 601/11 Part                 | 0.0850                           |
|               |           |             | 605/2 Part                  | 0.1050                           |
|               |           |             | 605/3 Part                  | 0.1600                           |
|               |           |             | 605/4 Part                  | 0.0700                           |
|               |           |             | 605/6 Part                  | 0.0300                           |

| District      | Mandal      | Village                  | Survey No./Sub-Division No. | Area to be acquired (In Hectare) |
|---------------|-------------|--------------------------|-----------------------------|----------------------------------|
| East Godavari | Kothapeta   | (2) Palivela<br>(Contd.) | 605/7 Part                  | 0.0300                           |
|               |             |                          | 713/4 Part                  | 0.0650                           |
|               |             |                          | 713/7 Part                  | 0.1000                           |
|               |             |                          | 713/11 Part                 | 0.0300                           |
|               |             |                          | 713/12, 10 Part             | 0.0200                           |
|               |             |                          | 714/3 Part                  | 0.1250                           |
|               |             |                          | 714/4 Part                  | 0.0150                           |
|               |             |                          | 715/5 Part                  | 0.0600                           |
|               |             |                          | 715/4 Part                  | 0.0600                           |
|               |             |                          | 715/3 Part                  | 0.0650                           |
|               |             |                          | 716 Part                    | 0.1550                           |
|               |             |                          | 717 Part                    | 0.0500                           |
|               |             |                          | 706/1 Part                  | 0.0200                           |
|               |             |                          | 701/1 Part                  | 0.0200                           |
|               |             |                          | 705 Part                    | 0.1500                           |
|               |             |                          | 704 Part                    | 0.1000                           |
|               |             |                          | 693 Part                    | 0.1550                           |
|               |             |                          | 692/12 Part                 | 0.0750                           |
|               |             |                          | 692/13 Part                 | 0.0650                           |
|               |             |                          | 692/14 Part                 | 0.0650                           |
|               |             |                          | 692/16, 22 Part             | 0.0500                           |
|               |             |                          | 692/15 Part                 | 0.0300                           |
|               |             |                          | 692/18 Part                 | 0.0050                           |
|               |             |                          | 692/20 Part                 | 0.0050                           |
|               |             |                          | 691 Part                    | 0.1250                           |
|               |             |                          | <b>Total :</b>              | <b>6.3700</b>                    |
| East Godavari | Ravulapalem | Devarapali               | 104 Part                    | 0.1500                           |
|               |             |                          | 99 "                        | 0.0300                           |
|               |             |                          | 98/4 "                      | 0.0300                           |
|               |             |                          | 85/4,2 "                    | 0.1900                           |
|               |             |                          | 85/7,3 "                    | 0.2000                           |
|               |             |                          | 84/1 "                      | 0.2700                           |
|               |             |                          | 84/6 "                      | 0.1300                           |
|               |             |                          | 84/5 "                      | 0.0200                           |
|               |             |                          | 85/4 "                      | 0.0400                           |
|               |             |                          | 84/3 "                      | 0.0050                           |
|               |             |                          | 84/13 "                     | 0.0200                           |
|               |             |                          | 84/14 "                     | 0.1300                           |
|               |             |                          | 82 "                        | 0.0300                           |
|               |             |                          | 80/4 "                      | 0.1400                           |
|               |             |                          | 81/2 "                      | 0.0900                           |
|               |             |                          | <b>Total</b>                | <b>1.4760</b>                    |

[F. No. L-14014/56/2003-G.P.]

SWAMI SINGH, Director